



## 1101c

Compact Track Loaders



### 1101c – The multi tool.

The Wacker Neuson 1101c has a payload of 1,150 kg and offers outstanding traction in difficult terrain. This skid steer loader boasts a comprehensive range of standard features: Hydraulic pilot control, 2 speed ranges, ROPS / FOPS Level II cab, parallel bucket guide, load limit sensing control, float position and foot throttle. The 1101cp (p = Powerflow) includes an additional hydraulic control circuit with an output of 137 l/min.

- The high-quality, rigid steel structure is designed for stability and a longer service life
- Generously dimensioned bearings.
- Replaceable steel bushes on all pivot bearing parts.
- PowerRide: The load spring suspension ensures fast and secure material transport over longer distances without loss even on rough terrain.
- The skid steer loader as a systems platform: More operational flexibility, fast amortization, short service and maintenance times, easy to operate, safe to drive.



## Technical specifications

	<b>1101c</b>	<b>1101cp</b>
<b>Operating data</b>		
Operating weight kg	4,400	4,450
Payload kg	1,150	1,150
Tipping load kg	3,285	3,285
Bucket capacity level m <sup>3</sup>	3,285	3,285
Bucket width mm	2,030	2,030
Height mm	2,065	2,065
Length with bucket mm	3,535	3,535
<b>Engine / Motor</b>		
Engine / Motor manufacturer	Deutz	Deutz
Engine / Motor type	D2011 Turbo EPA 3	D2011 Turbo EPA 3
Engine / Motor	Water-cooled 4-cylinder diesel engine	Water-cooled 4-cylinder diesel engine
Engine performance kW	63	63
Displacement cm <sup>3</sup>	3,619	3,619
RPM / speed rpm	2,500	2,500
Battery Ah	100	100
Tank capacity l	72	72
<b>Hydraulic system</b>		
Operating pressure Work hydraulics bar	210	210
Operating hydraulics - discharge capacity l/min	85	85
Powerflow l/min	0	137
Hydraulic oil tank l	35	35
<b>Power transmission</b>		
Travel speed max. km/h	12	12
Chain width mm	450	450
Traction drive	Axial piston motor with reduction gear	Axial piston motor with reduction gear
Service brake	Hydr. parking brake	Hydr. parking brake



**WACKER  
NEUSON**

**Please note**

that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions.

Subject to alterations and errors excepted. Applicable also to illustrations.

Copyright © 2014 Wacker Neuson SE.