

# DINGO OZZY K9-C

The OZZY Dingo K9-C is the culmination of over 25 years of pioneering development of the Dingo mini digger concept. With just enough electronics to make it easier to learn and drive, but not enough to make it into a city slicker, the Contractor will simply win every argument. We are proud to say that the K9-C is the most powerful and capable mini digger ever created. The K9-C will dig faster, drive faster and lift more than anything before whilst still maintaining the ability to drive through a standard door. And if you do a lot of trenching, it will trench straighter than any other Mini Loader. If sand or floatation is a problem, the “over the tyre” POLY-TRAX are the right solution. If you are in the business of getting the job done, as quickly and safely as possible the K9-C is for you. You really need to test drive this machine to appreciate how powerful it is. This bigger, tougher and heavier Dingo is available on heavier 10" wheels and tyres and can also be fitted with over the tyre tracks.

*This truly is 'The World's Toughest Mini Digger'*



## Specifications OZZY K9-C

<b>Engine</b>	Make	Yanmar TNV80
	Power	27 hp (19.9 kw)
<b>Hydraulics</b>	Hydraulic pumps	3
	Pump sizes	6, 8.4, 8.4cc
	Relief pressure (AUX)	3400 psi (235 bar)
	Hydraulic output	73 litres/minute
	Max travel speed	9.5 kms / hour
	Rated lift capacity	440kg WLL* / 880kg MLL **
	Wheel motors	4
	Aux hydraulic outlets	2
<b>Dimensions</b>		
A	Overall width	1035mm
B	Overall length	1600mm
C	Overall height	1225mm
D	Max operating height 4 in 1 bucket	2675mm
E	Turning radius with 4 in 1 bucket	1300mm
F	Angle of departure	25 degrees
G	Wheel base	800mm
H	Ground clearance	170mm
I	Dump height standard bucket	1550mm
J	Dump height 4 in 1 bucket	1870mm
K	Reach fully raised 4 in 1 bucket	800mm
L	Height to hinge pin	1985mm
M	Machine width 4 in 1 bucket	1050-1200mm
	Hydraulic reservoir capacity	76 litres
	Machine mass	1080kg
<b>Warranty</b>		3 years / 1000 hours

\*WLL – working load limit

\*\*MLL – maximum load limit

