K9-D

The Ozzy K9-D is our most all-purpose model. Diesel for efficient and tough power. Those who previously had a diesel 950, K93, All-Rounder or K94 will love the new Ozzy.

For the late model K94 owner it'll mostly be 'a change of clothes' but for all others it is a huge upgrade with more of everything.

With that comes the ability to do everything better. It is a work machine. It'll earn you much more.

The Dingo K9-D is the ultimate no nonsense rugged Dingo combining some of the great features of the range topping CONTRACTOR with the tried & tested reliability of the ever popular K9-4. The K9-D has a generous 47lpm hydraulic flow and hydraulic relief of 3200psi.



Specifications OZZY K9-D

Engine Make Yanmar TNV80

Power 27 hp (19.9 kw)

RPM 3400

Hydraulics Hydraulic pumps 2

Pump sizes 11cc and 4cc

Relief pressure (AUX) 3200 psi (220 bar)

Hydraulic output 47 litres/minute

Max travel speed 7.5 kms / hour

Rated lift capacity 325kg WLL* / 600kg MLL**

Wheel motors 4

Aux hydraulic outlets 2

Dimensions

А	Overall width	1035mm
В	Overall length	1600mm
С	Overall height	1200mm
D	Max operating height 4 in 1 bucket	2645mm
E	Turning radius with 4 in 1 bucket	1300mm
F	Angle of departure	25 degrees
G	Wheel base	800mm
Н	Ground clearance	135mm
I	Dump height standard bucket	1450mm
J	Dump height 4 in 1 bucket	1835mm
K	Reach fully raised 4 in 1 bucket	800mm
L	Height to hinge pin	1940mm
M	Machine width 4 in 1 bucket	1050-1200mm
	Hydraulic reservoir capacity	76 litres
	Machine mass	984kg

Warranty 3 years / 1000 hours

^{*}WLL - working load limit

^{**}MLL - maximum load limit

